

0888-CPR-0242-2014
Issue 1

In compliance with Regulation (EU) No 305/2011 of the European Parliament And Of The Council of 9 March 2011 on the approximation of laws, regulations and administrative provisions of the Member States relating to the construction products (Construction Products Regulation – CPR) it is stated that the construction product:

SPR4 N2 W4 Double Sided VRS

Whose characteristics are described in Technical Construction File –
SPR4 N2 W4 Double Sided Vehicle Restraint System
dated 16th June 2014 and whose performance under impact are detailed in the attached annex

Placed on the market and produced in the factory by:

Hill & Smith Ltd.
Springvale Business and Industrial Park
Bilston
Wolverhampton
West Midlands
WV14 0QL
United Kingdom

is submitted by the manufacturer to a factory production control system (FPC) and to the further testing of samples taken at the factory in accordance with a prescribed test plan and that the notified body MIRA Limited has performed the initial type-testing for the relevant characteristics of the products, the initial inspection of the factory and of the factory production control and performs the continuous surveillance, assessment and approval of the factory production control.

This certificate attests that all provisions concerning the attestation of conformity and the performances described in Annex ZA of the standard:

EN 1317-5:2007+A2:2012

Have been applied and that the products fulfil all the prescribed requirements:

This certificate remains valid as long as the conditions laid down in the harmonised technical specification in reference or the manufacturing conditions in the factory or the FPC itself are not modified significantly and must be read in conjunction with a valid certificate of factory production control.

Signed:

Date: 25th June 2014

Richard Whiting
Head of Certification & Homologation
MIRA
Notified Body Number 0888



5381

0888-CPR-0242-2014
Issue 1

Annex to Certificate 0888-CPR-0242-2014

Issue 1 : 16th June 2014

SPR4 N2 W4 Double Sided VRS

Impact Characteristics

Product	SPR4 N2 W4 Double Sided VRS
System Reference	SPR4 N2 W4
Description	SPR4 N2 W4 Double Sided Vehicle Restraint System with intermediate posts concreted in, socketed, driven or surface mounted, 4m apart.
Performance Level	N2/W4
Impact Severity Level	ASI A
Post Spacing	4.0m
Snow Removal	Class 4

Signed:

Date: 25th June 2014

Richard Whiting
Head of Certification & Homologation
MIRA
Notified Body Number 0888



5381

0888-CPR-0242-2014
Issue 1

Annex to Certificate 0888-CPR-0241-2014

Modification History

List of modifications

Correction of :- --

Modification of :- --

Addition of :- --

Deletion of :- --

----- END -----



5381